



DATE: 06 Mar 00


STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-63 (B)
Converter, Digital to Analog
NSN 5998-01-089-6328

SOW-01-844-2-88724B-2/1

1. This SOW identifies the work effort that shall be performed by the Contractor to IROAN the AN/TPS-63 (B) Converter, Digital to Analog NSN 5998-01-089-6328, part number 346D835G01, CAGE 97942.
2. The attached manuscript has been reviewed and is concurred upon by the following signers:


LAWRENCE E HERNDON
Weapon Systems Manager
Radar Systems Section (Code 844-2)
MARCORSYSCOM, Albany, GA


PATRICIA A HUGYA
Team Leader
Inventory Management Specialist
(Code 844-2)
MARCORSYSCOM, Albany, GA


RICHARD E JONES
Team Leader
Equipment Specialist
(Code 844-2)
MARCORSYSCOM, Albany, GA

STATEMENT OF WORK (SOW)
for
Inspection and Repair Only As Necessary (IROAN)
of the
AN/TPS-63 (B)
Converter, Digital to Analog
NSN 5998-01-089-6328

1.0 Scope. This Statement of Work (SOW) establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor to IROAN the AN/TPS-63 (B) Converter, Digital to Analog NSN 5998-01-089-6328, part number 346D835G01 CAGE 97942 (hereafter referred to as "Converter"). This document contains requirements to restore the Converter to Condition Code "A." Condition Code "A" is defined as "serviceable/issuable without qualification; new, used, repaired or reconditioned material that is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining.

1.1 Background. IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirements.

2.1 Military Standards

MIL-STD-2073-IC	DOD Standard Practice for Military Packaging
MIL-STD-129	DOD Standard Practice for Military Marking

Military Standards (For Reference Only)

MIL-STD-973	Configuration Management
-------------	--------------------------

2.2 Other Government Documents and Publications. The latest issues of those documents cited below shall be used.

346D835	Drawing, Assembly, Converter, Digital to Analog
---------	---

PDS22818

Performance Design Specification, Converter, Digital to Analog

2.3 Industry Standards

ANSI/ISO/ASQC
Q9003-1994

Quality Systems - Model for Quality Assurance in Final Inspection and Test

Copies of military standards and specifications are available from the DOD Single Stock Point, Defense Automated Production Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697- 2179 or DSN 442-2179, or <http://dodssp.daps.mil>. Copies of other government publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, GA 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings shall be obtained from: Life Cycle Management Center, Attn (Code 825-3), 814 Radford Blvd Suite 20320, Albany GA 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements.

3.1 The Contractor shall repair the Converter strictly in accordance with the requirements as specified in 346D835 and PDS22818, CAGE 97942. Testing shall be conducted in accordance with PDS22818. The Contractor shall be responsible for all parts, materials, labor, facilities, tools, and test equipment necessary to inspect and repair only as necessary the equipment in accordance with this SOW.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

3.2.1 The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this statement of work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with the level "A" requirements of MIL-STD-2073-1C, Method 30. Items scheduled for domestic shipment, immediate use or short-term storage shall be to level "B" requirements. (Level "A" packaging shall normally be required due to anticipated long-term storage. Exceptions (items that have a confirmed level "B" requirement) shall be identified, in writing, by the Weapon System Manager.)

3.2.2 Marking shall be in accordance with MIL-STD-129.

3.2.3 The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping and the subject equipment to and from the Contractor.

3.3 Configuration Control. The contractor shall apply configuration control to established configuration items. Deviations from this established baseline configuration shall not be allowed without the express written approval of the Weapon System Manager (WSM) (Code 844-2). All permanent changes to the form, fit or function of the baseline shall be by Engineering Change Proposal. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the authorized configuration baseline, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.

3.4 Government Furnished Equipment (GFE) and Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 827-2) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the Contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the Contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps Assets. The Contractor shall report receipt of all GFE/GFM, and report consumption of GFM to the MCA. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall such denial form a basis for either work stoppages or delays in delivery.

3.5 Quality Assurance Provisions. The Contractor shall establish and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.

4.0 Reports. The Contractor shall develop a Test Data Report (TDR) referencing this SOW, the NSN, part number, and serial number of the Converter. The TDR shall reference the specific paragraph of the Performance Design Specification, PDS22818, for all "Performance Requirements" (i.e. the allowable parameters, and quantitative test results). Upon request, the Contractor shall submit a copy of the TDR electronically (preferred), via regular mail, or facsimile to the WSM. Electronic address is "MbMatcom844-2@matcom.usmc.mil" Mailing address is: Commander, Attn (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31707-0343. Facsimiles may be sent to (912) 439-5498 or DSN 567-5498, attention Weapons System Manager, Code 844-2.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
----------------------------------	-------------------	---



D. SYSTEM/ITEM Converter, Digital to Analog	E. CONTRACT/PR NO.	F. CONTRACTOR
---	---------------------------	----------------------

1. DATA ITEM NO. A001	2. TITLE OF DATA ITEM Engineering Change Proposal (ECP)	3. SUBTITLE Configuration Management
---------------------------------	---	--

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639B	5. CONTRACT REFERENCE SOW 3.3	6. REQUIRING OFFICE MCLBA (825)
---	---	---

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION See Blk 16	14. DISTRIBUTION a. ADDRESSEE	b. COPIES		
8. APP CODE A	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	Draft		Final Reg Repr		

16. REMARKS Blk 4 - Contractor format using .doc or .pdf software applications is authorized. Blks 10 & 12 - ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. MIL-STD-973, Appendix D may be used as a guideline. ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. ECPs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited.	MCLBA (825-2)	0	1	0
	15. TOTAL	0	1	0

G. PREPARED BY 	H. DATE 3/6/00	I. APPROVED BY 	J. DATE 7/1/00
---	--------------------------	---	--------------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved

OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM Converter, Digital to Analog	E. CONTRACT/PR NO.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM NO. A002	2. TITLE OF DATA ITEM Request For Deviation	3. SUBTITLE Configuration Management
--------------------------	--	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80640B	5. CONTRACT REFERENCE SOW 3.3	6. REQUIRING OFFICE MCLBA (825)
--	----------------------------------	------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION								
8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION	<table border="1"> <tr> <th>a. ADDRESSEE</th> <th colspan="3">b. COPIES</th> </tr> <tr> <th></th> <th>Draft</th> <th>Reg</th> <th>Repro</th> </tr> </table>		a. ADDRESSEE	b. COPIES				Draft	Reg	Repro
a. ADDRESSEE	b. COPIES											
	Draft	Reg	Repro									

16. REMARKS Blk 4 - Contractor format using .doc or .pdf software applications is authorized. Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFDs shall be transmitted via E-Mail to the following address: mbmatcommconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited	MCLBA (825-2)	0	1	0
	15. TOTAL	0	1	0

G. PREPARED BY <i>James C. Clark</i>	H. DATE 3/6/00	I. APPROVED BY <i>E. H. Smith</i>	J. DATE 7/11/00
---	-------------------	--------------------------------------	--------------------

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved
OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO.	B. EXHIBIT	C. CATEGORY: TDP _____ TM _____ OTHER <input checked="" type="checkbox"/>
---------------------------	------------	--

D. SYSTEM/ITEM Converter, Digital to Analog	E. CONTRACT/PR NO.	F. CONTRACTOR
--	--------------------	---------------

1. DATA ITEM NO. A003	2. TITLE OF DATA ITEM Request For Waiver	3. SUBTITLE Configuration Management
--------------------------	---	---

4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80641B	5. CONTRACT REFERENCE SOW 3.3	6. REQUIRING OFFICE MCLBA (825)
--	----------------------------------	------------------------------------

7. DD 250 REQ LT	9. DIST STATEMENT REQUIRED A	10. FREQUENCY ASREQ	12. DATE OF FIRST SUBMISSION SEE BLK 16	14. DISTRIBUTION a. ADDRESSEE MCLBA (825-2)	b. COPIES Draft Final Reg Repro		
8. APP CODE	11. AS OF DATE	13. DATE OF SUBSEQUENT SUBMISSION					

15. REMARKS Blk 4 - Contractor format using .doc or .pdf software applications is authorized. Blks 10 & 12 - RFWs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation. RFWs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government. RFWs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil Distribution Statement A: Approved for public release, distribution is unlimited	15. TOTAL	0	1	0

17. PRICE GROUP
18. ESTIMATED TOTAL PRICE

G. PREPARED BY <i>James C. Clark</i>	H. DATE 3/6/00	I. APPROVED BY <i>[Signature]</i>	J. DATE 7/16/00
---	-------------------	--------------------------------------	--------------------